
 <p>Regione Lombardia ASL Bergamo</p>	<p>ASL DELLA PROVINCIA DI BERGAMO</p> <p>COORDINAMENTO DIREZIONI SANITARIE STRUTTURE OSPEDALIERE PUBBLICHE E PRIVATE ACCREDITATE</p>	 <p>Azienda Ospedaliera Papa Giovanni XXIII Bergamo</p>
--	---	--

PREPARAZIONE E CONDIZIONI NECESSARIE PER L'ESECUZIONE DI ISTEROSALPINGOGRAFIA

Per poter eseguire l'isterosalpingografia è necessario che la donna

- abbia assoluta certezza di non essere in stato di gravidanza; per tale motivo occorre avere rapporti sessuali protetti o astenersi da rapporti sessuali completi dall'inizio del ciclo mestruale fino all'esecuzione dell'esame.
- non abbia sanguinamento dai genitali; è quindi indicato che effettui l'esame 24-48 ore dopo il termine della mestruazione
- non sia affetta da infezioni genitali; è indicata l'effettuazione di tampone vaginale
- non abbia allergie al mezzo di contrasto (mdc); infatti, tenuto conto del parziale riassorbimento del mezzo di contrasto possono verificarsi alcune reazioni allergiche, anche tardivamente

e si sottoponga alla seguente preparazione

- digiuno da almeno 4 ore prima dell'esame
- clistere di pulizia il giorno dell'esame, prima di presentarsi in Radiologia
- accurata pulizia dei genitali esterni

In relazione a quanto sopra specificato, si consiglia di rivolgersi direttamente al Servizio di Radiologia (tel.) per concordare con gli operatori il giorno di esecuzione dell'indagine.

Si raccomanda di portare eventuale documentazione precedente (esami radiologici e/o ecografici con i referti) relativa alla richiesta e l'esito del tampone vaginale.

In caso di rinuncia si prega di avvisare tempestivamente chiamando il numero telefonico

N.B. Dopo l'esame è prevista una permanenza in osservazione di circa 30 minuti presso la struttura.

 <p>Regione Lombardia ASL Bergamo</p>	<p>ASL DELLA PROVINCIA DI BERGAMO COORDINAMENTO DIREZIONI SANITARIE STRUTTURE OSPEDALIERE PUBBLICHE E PRIVATE ACCREDITATE</p>	 <p>Azienda Ospedaliera Papa Giovanni XXIII Bergamo</p>
--	--	--

GETTING READY AND NECESSARY CONDITIONS FOR TAKING ISTEROSALPINGOGRAFIA

To take Isterosalpingografia it is necessary for a woman :

- to be absolutely sure not to be pregnant; for that reason it is necessary to have protected sexual intercourse or not to have complete sexual intercourse from the start of the menstrual cycle to the execution of the examination;
- not to bleed from genitals: therefore she is to take the examination 24-48 hours after the end of menstruation;
- not to have any genital diseases/infections; a vagina tampon (tampone vaginale) is to be taken;
- not to be allergic to a contrast medium (mezzo di contrasto (mdc) : in fact, considering the partial absorption of the contrast medium, a few allergic reactions may take place, though late.

And to get ready to the examination as follows:

- do not eat or drink anything from 4 hours before the examination;
- take a cleaning enema on the day of the examination, before going to Radiologia
- take an accurate cleaning of outer genitals

With reference to the above, you should directly contact the Servizio di Radiologia (tel.) to agree with the operators on the examination day

Please, bring along any previous documents (X-rays and/or full-body scans with medical reports) concerning the request and the outcome of the vagina tampon (tampone vaginale)

In case you cannot come please call this phone number in due time:

NOTE: It is necessary for the patient to stay for 30 minutes in the surgery after the examination.